ATTACHMENT 7

Consumer Confidence Report Certification Form

(to be submitted with a copy of the CCR)

(to certify electronic delivery of the CCR, use the certification form on the State Board's website at http://www.waterboards.ca.gov/drinking water/certlic/drinkingwater/CCR.shtml)

Wate	r Syste	em Name:	CEDARF	INES PARK MUTU	JAL WATER COMPA	ΝΥ		
Wate	r Syste	m Number:	3610011					
_04/2 Furth	24/2013 er, the oliance	system certif	nte) to cus ies that the	tomers (and approping formation contain	oriate notices of availanted in the report is corre	Report was distributed on bility have been given). ct and consistent with the Control Board, Division		
Certi	fied by	: Name:		DAVID MCCLEL	LAN			
		Signati	ıre:					
		Title:		GENERAL MANA	AGER			
		Phone	Number:	(909) 338-1821	Date:	04/24/2015		
	CCR was distributed by mail or other direct delivery methods. Specify other direct delivery methods used: Posted IN Company OFFICE, Posted ON CPPMUC.ORG "Good faith" efforts were used to reach non-bill paying consumers. Those efforts included the							
	following methods:			T		yk		
		_		e Internet at www. <u>CPPMWC. ORG</u>				
		-	CCR to postal patrons within the service area (attach zip codes used)					
	Advertising the availability of the CCR in news media (attach copy of press release) Publication of the CCR in a local newspaper of general circulation (attach a copy of published notice, including name of newspaper and date published)							
Posted the CCR in public places (attach a list of locations)								
	Delivery of multiple copies of CCR to single-billed addresses serving several persons, such as apartments, businesses, and schools							
		Delivery to	community	organizations (attach a list of organizations)				
		Other (attack	a list of o	ther methods used)				
		_		-	sted CCR on a publicly-	accessible internet site at		
	For pr	rivately-owned	d utilities:	Delivered the CCR t	to the California Public	Utilities Commission		

This form is provided as a convenience and may be used to meet the certification requirement of section 64483(c), California Code of Regulations.

To our customers:

We're very pleased to provide you with this year's Annual Water Quality Report. We test the drinking water quality for many constituents as required by state and federal law. The euclosed table shows results of the monitoring period of January 1 - December 31, 2014 and may include earlier monitoring data. Our water comes from 19 groundwater wells located within the Cedarpines Park Mutual Water Company service area. The current well locations are located within the Mojave Watershed and identified as Burnt Mill Well's 1.7 & 19, Coonturn Well's 1, 3, 5, and 3 pigs, Lovers Lane Well's 1 & 2, 3, Our system is supplemented with surface water purchased from Crestline Lake Arrowhead Water Agency (CLAWA). Drinking Water Source Assessment and Protection surveys were completed for all wells in January 2003 and 2006 with the assistance of California Rural Water Association, Cedarpines Park Mutual Water Company and California Department of Public Heath. A copy of DWSAP many be obtained by calling our office, CLAWA's water quality is attached to our report.

Cedarpines Park Mutual Water Company holds its monthly Board Meeting on the third Thursday of each month at 6:00 PM at Leisure Shores Senior Center, Crestline California.

Terns and Abbreviations

In the following Test Result Table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

- Non-Detects (ND) laboratory analysis indicates that the constituent is not present.
- Parts per million (ppm) or Milligrams per liter (mg/l)—
 one part per million corresponds to one minute in two
 years or a single penny in \$10,000.
- Parts per billion (ppb) or Micrograms per liter (ug/l) —
 one part per billion corresponds to one minute in 2,000
 years or a single penny in \$10,000,000.
- Picocuries per liter (pCII) picocuries per liter is a measure of the radioactivity in water.
- Million fibers per Laer (MFL) million fibers per liter is a measure of the presence of asbestos fibers that are longer than 10 micrometers.
- Nephelometric Turbidity Unit (NTU) nephelometric turbidity unit is a measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.
- Treatment Technique (IT) A treatment tochnique is a required process intended to reduce the level of a contaminant in drinking water.
- Maximum Contaminant Level (MCL) the "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water, MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- Maximum Contaminant Level Goal (MCLG) the "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- Public Health Goal or PAG the level of a contaminant in drinking water below which there is no known or expected risk to health. The California Environmental Protection Agency sets PAG 3.

 Regulated Action Level (AL) The concentration of a

contaminant, which, if exceeded, triggers treatment, or

- other requirements, which a water system must follow.
 Public Drinking Water Standards (PDWS) MCLs for
 contaminants that affect health along with their
 monitoring and reporting requirements, and water
 treatment requirements.
- NIA No standard available.

Cedarpines Park Mutual Water Company 2014 Consumer Confidence Report

Esta informe contiene informacion muy importante sobre su agua beber. Traduzcalo o hable con alguien que lo entienba bien.



For additional information contact:
David McClellan/General Manager
Cedarpines Park Mutual Water Co.
P.O. Box 9259
21853 Crest Forest Drive
Cedarpines Park, CA. 92322
(909) 388-1821

We conducted more than 100 tests for over 80 drinking water contaminants. These tests included microbial contaminants, inorganic chemical contaminants, organic chemical contaminants, and radioactive contaminants. As you can see by the table, only a few contaminants were detected in the water. None of these contaminants exceeded the maximum contaminant level set by the State. Your drinking water meets or exceeds all Federal and State requirements. Regulations require the testing of the water to ensure that it is safe to drink.

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the US Environmental Protection Agency Safe Drinking Water Hotline at (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing themotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers USEPA/Center for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

The sources of drinking water (both tap and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals, and in some cases, radioactive material, and can pickup substances resulting from the presence of animal or human activity.

- Contaminants that may be in source water include:
 Microbial contaminants, such as viruses and bacteria, that
 come from sewage treatment plants, septic systems,
 livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally occurring or result from urban storm water runoff, industrial or domestic waste water discharges, oil and gas production, mining or furning.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gas studions, urban storm water runoff, agricultural application and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, USEPA and the State Department of Health Services (Department) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Department regulations also establish limits for contaminants in bottled water that must provide the same protection for public health.

For more information please contact Cedarpines Park Mutual Water Company at (909) 338-1821 if you have questions.

byproduct of diffiking water chlorination.		0.0	0.00		;		Ī		
Byproduct of drinking water chlorination.	Dec-14	 Σ	0.4.0 0.4.0	නුදු	n/a	n/a	000	8	HAA5 (Halocetic Acids)
Likely Source of Detected Constituent		LEVEL	RANGE	MCL MCL	PHG	MCLG	Units	Violation	TTHMs (Total Tribalomethanes)
	INJUNI	C. T.NEC	2000						TO SOLD THE BOOK FOR THE BOOK F
or namer deposits, leading non wood preservatives.	0000 00000	2000	PVDDON					NET CO	
Internal corrosion of household plumbing systems; erosion	Jul-13		Q	0.56	AL=1.3	10	mdd	N _o	Copper
from industrial manufacturers; erosion of natural deposits.	JUI-13		2	-) F		7		
Likely Source of Detected Constituent		MCLG	Exceeding	Leve)	VEVE!	10	ـ ا	No	ead
	}		_	ď	Activation	Samples		Violetion	
			No. of	90th		No, of			
					e	ards by th	d Stand: vices.	ith-Relate leaith Ser	LEAD + COPPER - Mandatory, Health-Related Standards by the State of California, Department of Health Services.
	Feb-15	0.5	0-3.6	50	n/a	n/a	dqq	No	Vanadium
							S	AMINAN	UNREGULATED INORGANIC CONTAMINANTS
Soil runoff		0.2	ND-0.7	5	n/a	n/a	units	No	Lurbnity
Naturally-occurring organic materials		<1.0	-1	3	n/a	n/a	units	No	Odor
Erosion of natural deposits.	Feb-15	ND	<3.0	MCL 15	n/a	n/a	units	No	Color
	}	į		Š	D .		Inito	Violation	
								LYZED	ADDITIONAL CONSTITUENTS ANALYZED
Runoff / leaching from natural deposits.	Feb-15	157	100-190	1000	n/a	n/a	mgg	S	l otal Dissolved Solids (TDS)
Runoff / leaching from natural deposits.	Feb-15		5.1-14	500	n/a		ppm	No.	Sulfate
Substances that form ions when in water	Feb-15		140-300	1600	n/a	1	umho/cm	8	Specific Conductance
Leaching from natural deposits.	Teb-15	190	95.130	n/a	n/a	n/a	ppm	8 8	Sodium Sodium
Runoff / leaching from natural deposits.	Feb-15		5.8-12	500	n/a	n/a	ppm	8	
								No	
Likely Source of Detected Constituent	Date	LEVEL	RANGE	MCL	PHG	MCLG	Units	Violation	
					yy the	Standards Established by the Ith Services.	irds Est vices.	tic Stand lealth Ser	SECONDARY STANDARD - Aesthetic Standards E State of California, Department of Health Services
septic tanks and sewage: erosion of natural deposits		ć	6.6	ē	8		74	i	
Runoff and leaching from facilities uses leaching from	Feb-15	ענ	0-8.5	10	1 as N	1 as N	maga	No	Nitrate + Nitrite as Nitrogen (N)
Runoff and leaching from fertilizer use; leaching from	Feb-15	13.51	0-37	45	45	45	ppm	No	Nitrate (as NO3)
Erosion of natural deposits.	Feb-15	S	S	ے	0.6	0.6	ppm	No	Aluminum
Elosion of natural deposits.	ividy-1	0.10	0,10	20	5.15	5	0		INORGANIC CONTAMINANTS
Erosion of natural deposits.	Jan-11	9.65	9.5-9.8	30 15	n/a	043	200/ 00/	3 8	Gross Alpha Activity
Likely Source of Detected Constituent	Date	LEVEL	RANGE	MCL	PHG	MCLG	İ	Violation	RADIOACTIVE CONTAMINANTS
					s by the	Standards by	Health-Related Ith Services.	y, Health lealth Ser	PRIMARY STANDARDS - Mandatory, Health-Relat State of California, Department of Health Services
	96 annually	0	0	0		0	Units	0	No. of Acute Violations©
Naturally present in the environment		0	0	0	0	0	%+		Col. Bac.(% Test Positive)
Exery Source of Detected Consument		Months	75495	Racteria	Coliform	Total		TS STANCE	MICROBIOLOGICAL CONTAMINANTS
l italy Source of Potostad Constituent		# Of	JONA G	N.C.	อนอ	WCI G	l Inite	Violation	
					s by the	Standard	Related vices.	y, Health lealth Ser	PRIMARY STANDARDS - Mandatory, Health-Related Standards by the State of California, Department of Health Services.
MONITORING TABLE	MONITORII		ATER QUALITY	ATER	GROUNDWATER	14 GROUNDW	2014		
MBANY		- 1	MITI	70/0	DINEC		2		

CRESTLINE-LAKE ARROWHEAD WATER AGENCY WATER QUALITY DATA 2014

TEST RESULTS						
Contaminant	Average Level Detected	Range Of Levels Detected	Units	MCL	PHG	Major Sources in Drinking Water
PRIMARY STANDARDS						
Turbidity	.23	0-1	TT	5	N/A	Soil runoff
The TT requirement is: at	least 95% of samples m	nust be less than 0	.3 NTU. *			
Total Trihalomethanes**	56**	18.9-87	uG/I	80	N/A	By-product of drinking water disinfection
Haloacetic Acids**	8**	27-9.6	uG/I	60	N/A	Byproduct of drinking water disinfection
Inorganic Chemicals				his		
Arsenic	.39	0-22	ug/i	10	.004	Erosion of natural deposits; runoff from orchards, glass and electronics production wastes
Fluoride (naturally occurring)	.16	032	mg/l	2	1	Erosion of natural deposits; water additive that promotes strong teeth; discharge fror fertilizer and aluminum factories
Nitrate (as NO3)	1.85	0-3.4	ug/l	45	4 5	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits
SECONDARY STANDARDS						
Chloride	98.13	84-120	mg/l	500	N/A	Runoff/leaching from natural deposits; seawater influence
Sulfate	72.25	58-85	mg/l	500	N/A	Runoffleaching from natural deposits; industrial wastes
Total Dissolved Solids (TDS)	360.63	340-380	mg/i	1000	N/A	Erosion of natural deposits
OTHER CONSTITUENTS						
Sodium	85.38	77-96	mg/l	N/A	N/A	"Sodium" refers to the salt present in the water and is generally naturally occurring
Total Hardness	103.69	99-120	mg/l	N/A	N/A	"Hardness" is the sum of polyvalent cations present in the water, generally magnesium and calcium. The cations
Iron	7.5	0-120	ug/i	300	N/A	are usually naturally occurring. Leaching from natural deposits; industrial wastes
Odor - Threshold Unregulated Contaminants	1.06	1-2	TON	3 AL	N/A i	Naturally- occurring organic materials
Boron	189.38	150-270	uG/I	1,000	N/A I	Erosion of natural deposits
Vanadium	3.62	0-7.8	uG/l	50	N/A E	Erosion of natural deposits
pH	7.94	7.7-8.2	Unit	6.5-8.5	N/A	

^{*}Turbidity is monitored continuously because it is a good indicator of the effectiveness of our treatment system. Turbidity measures the cloudiness of water. The Agency uses a conventional treatment process to reduce turbidity.

^{**}Total Trihalomethanes and Haloacetic Acids are reported as the Highest Locational Running Annual Average.

Nitrate in drinking water at levels above 45 mg/L is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 45 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider.